

MIRALAX BOWEL PREPARATION INSTRUCTIONS

Purchase at your pharmacy:

- *One 238 gram bottle of Miralax (non-prescription product)
- *4 Dulcolax tablets (non-prescription product)
- *Milk of Magnesia
- *You will also need 64 ounces of Gatorade, Kool-aid, apple juice, or Tange to mix your Miralax in. Avoid red, blue or purple colors of Gatorade or Kool-aid.

TWO Days Before Your Procedure:

Take 3 tablespoons of Milk of Magnesia (can be taken anytime during the day/evening)

DAY BEFORE Your Procedure:

The day before you colonoscopy you need to be a <u>CLEAR LIQUID DIET ALL DAY</u>. Solid foods, milk, and milk products are not allowed. Clear liquids include all of the following: water, apple juice, white grape juice, clear broth, or bouillon, coffee, or tea (without milk, or creamer added), Gatorade, soft drinks, Kool-aid or other flavored drinks, plain jello (without fruit or toppings), and ice Popsicles. Avoid clear liquids that are red, purple or blue colored.

At 3 PM, take the 4 Dulcolax tablets with a glass of water

At 4 PM, mix the entire 238 gram bottle of Miralax in 64 ounces of Gatorade, apple juice, Tang, Kool-aid. Shake the solution until the solution is dissolved. Begin drinking an 8 ounce glass every 10-15 minutes until all the solution is gone. Drinking the prep through a straw and chilling the solution may improve tolerance. If you develop nausea, take a break from drinking the solution for about an hour and then resume drinking at a slower pace.

You may drink clear liquids until midnight prior to the exam. After this, nothing to eat or drink until after the colonoscopy is completed.

Please take any routine heart and/or blood pressure pills, along with any thyroid or seizure medications that you may take upon waking the morning of your procedure.

If your admission time is <u>prior to 7:00am</u>, please use the <u>Emergency Room entrance</u> to enter the facility. If your admission time is <u>after 7:00am</u>, please check in at the <u>main North entrance.</u>

You will have to have someone to drive you home. If you arrive without a driver, or someone we can call to come get you, your procedure will be cancelled